

STODAL®

SYRUP

SCHEDULING STATUS: Not scheduled.

PROPRIETARY NAME:

STODAL cough and cold syrup.

COMPOSITION: Each 100 g contains:

Anemone pulsatilla 6 CH, Antimonium tartaricum 6 CH, Bryonia 3 CH, Coccus cacti 3 CH, Drosera MT, Ipecacuanha 3 CH, Myocarde 6 CH, Rumex crispus 6 CH, Spongia tosta 3 CH, Sticta pulmonaria 3 CH. aa 0.95 g, Tolu syrup 19.00 g, Senega syrup 19.00 g.

Excipients: Ethyl alcohol 1.74 % V/V, sucrose, caramel, benzoic acid 0.085 % M/M.

PHARMACOLOGICAL CLASSIFICATION:

A34 – other.

PHARMACOLOGICAL ACTION:

STODAL cough and cold syrup acts homeopathically by having an anti-tussive action on the respiratory system.

INDICATIONS:

As described in Homeopathic Medical Literature, some examples of which are: Cough (spasmodic), colds (common), colds (feverish), throat inflammations, Tonsillitis, cough (bronchial), Bronchitis (chronic), Bronchorrhoea, Catarrh (bronchial), cough (asthmatic), Hoarseness of voice, Whooping cough, Croup.

CONTRA-INDICATIONS: None known.

WARNINGS:

Use in accordance with the principles of Homeopathy. Be informed of a correct diet and general health routine. Avoid the use of camphor containing products, strong aromatics, peppermints and strong coffee as these interfere with the action of Homeopathic medicine. Contains sucrose. Persons intolerant to this should take this preparation only on advice from a practitioner. Substitute

existing medical treatment only while under professional supervision.

DOSAGE AND DIRECTIONS FOR USE:

Adults: Three x 5 ml medicine measureful 3 to 5 times a day. Reduce dosage as coughing spells subside.

Children: (2-12 years of age): One medicine measureful (5 ml) 3 to 5 times a day.

Babies/infants: Dilute ½ medicine measureful in water 3 to 5 times a day.

SIDE EFFECTS AND SPECIAL PRECAUTIONS:

A homeopathic medicine enhances the body's eliminatory processes and a temporary increase of symptoms may occur. In rare cases some individuals may experience initial effects on taking homeopathic medicines. If symptoms persist for more than 3 days or worsen, consult a practitioner.

KNOWN SYMPTOMS OF OVERDOSAGE AND PARTICULARS OF ITS TREATMENT:

None known.

IDENTIFICATION: A sweet-tasting syrup.

PRESENTATION: 200 ml brown glass bottle.

STORAGE INSTRUCTIONS:

Store in a cool (below 25°C) dark place, out of reach of children.

U2161 (ACT 101/1965).

NAME AND BUSINESS ADDRESS OF APPLICANT:

VJ Bartlett, 1st Floor Convention Tower, Cnr. Heerengracht & Walter Sisulu Avenue, Cape Town, 8001

ENQUIRIES Tel: (021) 403 - 6390

Website: www.lebron.co.za

DATE OF PUBLICATION OF THIS PACKAGE INSERT:

1st September 1986

STODAL®

STROOP

SKEDULERINGSSTATUS:

Nie geskeduleerd.

HANDELSNAAM:

STODAL hoes- en verkouestroop.

SAMESTELLING: Elke 100 g bevat:

Anemone pulsatilla 6 CH, Antimonium tartaricum 6 CH, Bryonia 3 CH, Coccus cacti 3 CH, Drosera MT, Ipecacuanha 3 CH, Myocarde 6 CH, Rumex crispus 6 CH, Spongia tosta 3 CH, Sticta pulmonaria 3 CH. aa 0,95 g, Tolu syrup 19,00 g, Senega syrup 19,00 g. **Onaktiewe bestanddele:** Etielalkohol 1,74 % V/V, sukrose, karamel, bensoësuur 0,085 % M/M.

FARMAKOLOGIESE KLASSIFIKASIE:

A34- ander.

FARMAKOLOGIESE WERKING:

Stodal hoes- en verkouestroop werk op homeopatiese wyse deur middel van 'n hoeswerende aksie op die respiratoriese stelsel.

INDIKASIES:

Soos beskryf in Homeopatiese Mediese Literatuur, waarvan sommige voorbeelde die volgende is – hoes (spasmodies), verkoues (algemeen), verkoues (koors), inflammasies – keel, Tonsillitis, hoes (brongiaal), Brongitis (chronies), Brongoree, Katar (brongiaal), hoes (asmaties), heesheid, Kinkhoes, Kroep.

KONTRA-INDIKASIES: Geen bekend.

WAARSKUWINGS:

Gebruik ooreenkomstig met Homeopatiese riglyne. Wees ingelig oor 'n korrekte dieet en algemene gesondheidsroetine. Vermoë produkte met kamfer, sterk aromatiese produkte, pepermente en sterk koffie aangesien dit die werking van Homeopatiese medisyne beïnvloed. Bevat sukrose. Persone wat weerstandig is teen sukrose moet hierdie voorbereiding slegs op

advies van 'n geneesheer neem. Bestaande mediese behandeling behoort slegs onder professionele toesig vervang te word.

DOSIS EN GEBRUIKSAANWYSINGS:

Volwassenes: Drie x 5 ml medisyne maatvol 3 tot 5 maal per dag. Verminder dosis soos hoesbuie afneem.

Kinders: (2-12 jaar): Een x 5 ml medisyne maatvol 3 tot 5 maal per dag.

Babas/suigeling: Verdun ½ medisyne maatvol in water 3 tot 5 maal per dag.

NEWE-EFFEKTE EN SPESIALE

VOORSORGMATREËLS:

'n Homeopatiese medikasie bevorder die liggaam se uitskeidingsprosesse en 'n tydlieke toename van simptome mag voorkom. In uitsonderlike gevalle mag sommige individue aanvanklike effekte ervaar met die neem van homeopatiese medisyne. Raadpleeg 'n geneesheer indien simptome vir langer as 3 dae voortduur of vererger.

BEKENDE SIMPTOME VAN

OORDOSERING EN BESONDERHEDE

VAN DIE BEHANDELING DAARVAN:

Geen bekend.

IDENTIFIKASIE: 'n Soeterige stroop.

AANBIEDING: 200 ml bruin glas bottel.

BERGINGSVOORSKRIFTE:

Berg in koel, (onder 25°C) donker plek, buite bereik van kinders.

U2161 (WET 101/1965).

NAAM EN BESIGHEIDSADRES VAN

APPLIKANT: VJ Bartlett, 1ste Vloer Convention Tower, H/V Heerengracht & Walter Sisuluweg, Kaapstad, 8001

NAVRAE: Tel: (021) 403 - 6390

Webtuiste: www.lebron.co.za

DATUM VAN PUBLIKASIE VAN HIERDIE

VOUBILJET : 1^{ste} September 1986.