

## COMPLEMENTARY MEDICINE

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.

**SCHEDULING STATUS:** [S0]

### PROPRIETARY NAME AND DOSAGE FORM DERMIKELP® ITCH RELIEF CREAM

#### COMPOSITION

##### Active ingredient:

Each gram contains 375 mg of *Ecklonia maxima* (sea kelp).

##### Inactive ingredients:

Aqua, benzyl benzoate, caprylyl glycol, *Cananga odorata* (ylang-ylang) flower oil, cetearyl alcohol, cetearyl glucoside, citric acid, ethylhexylglycerin, gluconolactone, isopropyl myristate, linalool, paraffinum liquidum, PEG-20 stearate, phenoxyethanol, sodium benzoate.

#### PHARMACOLOGICAL CLASSIFICATION

D33.8 Complementary medicines: Discipline-specific traditional claims - Other

#### PHARMACOLOGICAL ACTION

##### Pharmacodynamic properties

*Ecklonia maxima* is a member of the genus *Ecklonia* and contains a variety of compounds that play diverse biological and ecological roles. The isolates from *Ecklonia maxima* are phloroglucinol, eckol, 7-phloroeckol and 2-phloroeckol.

##### Pharmacokinetic properties

*Ecklonia* species are utilised for therapeutic applications as they exhibit antioxidant and anti-inflammatory activities. Fucoidans in *Ecklonia maxima* reduce IgE production as well as the number of IgE-secreting cells in peripheral blood mononuclear cells (PBMC), without affecting cell proliferation and interferon- $\gamma$  production. Fucoidans suppress IgE induction by inhibiting immunoglobulin class-switching to IgE in human B cells. Polyphenolic substances from phlorotannins exhibit the potential anti-allergic mechanism by the suppression of the binding activity between IgE and Fc $\epsilon$ R1 *in vitro*. The anti-inflammatory properties of phlorotannins are related to the down-regulation of iNOS, COX-2 and proinflammatory cytokines through the negative regulation of the NF $\kappa$ B pathway.

#### INDICATIONS

**DERMIKELP ITCH RELIEF CREAM** soothes itchy irritated skin and is suitable for the symptoms associated with eczema, contact dermatitis, seborrhoeic dermatitis, minor insect bites and allergic skin reactions caused by soaps, detergents, cosmetics and jewellery.

#### CONTRAINDICATIONS

Hypersensitivity to *Ecklonia maxima*, iodine or any of the other ingredients in **DERMIKELP® ITCH RELIEF CREAM** (see **COMPOSITION**).

#### WARNINGS AND SPECIAL PRECAUTIONS

A temporary stinging or burning sensation may be felt when applied to broken skin.

##### Effects on ability to drive and use machines:

No studies have been done to establish the effects on the ability to drive a vehicle or operate machinery.

#### INTERACTIONS

Do not use in combination with other topical applications unless otherwise indicated by a healthcare professional.

#### PREGNANCY AND LACTATION

Safety in pregnancy and lactation has not been established.

#### DOSAGE AND DIRECTIONS FOR USE

For external use only.

Apply to the affected area as required. Massage gently into the skin to ensure proper absorption. Can be used daily as required.

#### SIDE EFFECTS

See **WARNINGS AND SPECIAL PRECAUTIONS**.

##### Skin and subcutaneous tissue disorders:

*Less frequent:* Light erythema.

#### KNOWN SYMPTOMS OF OVERDOSE AND PARTICULARS OF ITS TREATMENT

External use only. In the event of accidental ingestion, treatment should be symptomatic and supportive.

#### IDENTIFICATION

Off-white to beige cream with characteristic odour.

#### PRESENTATION

White, plastic tube/jar packed into an outside carton.

Pack sizes: 25 g, 50 g, 100 g and 500 g.

#### STORAGE INSTRUCTIONS

Store at or below 25 °C.

Protect from sunlight.

Keep container tightly closed.

**KEEP OUT OF REACH OF CHILDREN.**

#### REGISTRATION NUMBER

To be allocated by the SAHPRA.

#### NAME AND BUSINESS ADDRESS OF THE HOLDER OF THE CERTIFICATE OF REGISTRATION

Lamicare SA (Pty) Ltd t/a Lamicare Health

A2, Arden Grove Business Park

Racecourse Road

Milnerton

7441

Tel: 086 100 0400

#### DATE OF PUBLICATION OF PACKAGE INSERT

August 2019

## KOMPLEMENTÊRE MEDISYNE

Hierdie ongeregisteerde medisyne is nie deur die SAHPRA vir kwaliteit, veiligheid of beoogde gebruik geëvalueer nie.

**SKEDULERINGSSTATUS:** [S0]

### HANDELSNAAM EN DOSEERVORM

### DERMIKELP® ITCH RELIEF CREAM – JEUKVERLIGTENDE ROOM

#### SAMESTELLING

##### Aktiewe bestanddeel:

Elke gram bevat 375 mg *Ecklonia maxima* (seewier)

##### Onaktiewe bestanddele:

Bensielbensoaat, *Cananga odorata* (ylang-ylang) blomolie, etielheksielgliserien, fenoksiëtanol, glukonolaktoon, isopropielmiristaat, kapriëlglikol, linalool, mineraalolie, natriumbensoaat, PEG-20 stearaat, setearielalkohol, setearielglukosied, sitroensuur, water.

#### FARMAKOLOGIESE KLASSIFIKASIE

D33.8 Komplementêre medisyne: Middels met dissipline-spesifieke tradisionele aansprake - Ander

#### FARMAKOLOGIESE WERKING

##### Farmakodinamiese eienskappe

*Ecklonia maxima* is 'n lid van die *Ecklonia* genus en bevat 'n verskeidenheid verbindings wat diverse biologiese en ekologiese rolle speel.

Floroglusinol, ekkol, 7-floroëkkol word uit *Ecklonia maxima* geïsoleer.

##### Farmakokinetiese eienskappe

Die genus *Ecklonia* word vir terapeutiese toedienings benut, aangesien dit antioksidant en anti-inflammatoriese werking toon. Fukoïdane in *Ecklonia maxima* verminder die produksie van IgE sowel as die aantal selle wat IgE afskei in perifere bloed mononukleêre selle, sonder om proliferasie van selle en produksie van interferon- $\gamma$  te beïnvloed. Fukoïdane onderdruk induksie van IgE deur omskakeling tussen immunoglobulienklasse na IgE in mens B-selle te onderdruk. Polifenoliese verbindings uit florotanniene vertoon die potensieël anti-allergie meganisme deur die bindingsaktiwiteit tussen IgE en Fc $\epsilon$ R1 *in vitro* te onderdruk.

Die anti-inflammatoriese eienskappe van florotanniene hou verband met die afwaartse regulering van iNOS, COX-2 en proinflammatoriese sitokiene deur die negatiewe regulering van die NF $\kappa$ B-weg.

#### INDIKASIES

**DERMIKELP® ITCH RELIEF CREAM** streek jeukende, geïrriteerde vel en dit is geskik vir die simptome geassosieer met ekseem, kontakdermatitis, seborree-dermatitis, minder ernstige insekbyte en allergiese velreaksies veroorsaak deur sepe, skoonmaakmiddels, grimering en juweliersware.

#### KONTRA-INDIKASIES

Hipersensitiwiteit vir *Ecklonia maxima*, jodium of enige van die ander bestanddele in **DERMIKELP® ITCH RELIEF CREAM** (kyk **SAMESTELLING**).

#### WAARSKUWINGS EN SPESIALE VOORSORGMATREËLS

'n Tydelik steeksensasie mag gevoel word wanneer **DERMIKELP® ITCH RELIEF CREAM** aan stukkende vel aangewend word.

##### Effek op die vermoë om te bestuur en masjinerie te gebruik:

Daar is geen studies uitgevoer om die effek op die vermoë om 'n voertuig te bestuur of masjinerie te hanteer, te bepaal nie.

#### INTERAKSIES

Moet nie in kombinasie met ander topikale produkte toedien nie, behalwe indien anders aangedui deur 'n gesondheidsorgdeskundige.

#### SWANGERSKAP EN BORSVOEDING

Veiligheid tydens swangerskap en borsvoeding is nie bepaal nie.

#### DOSIS EN GEBRUIKSAANWYSINGS

Slegs vir uitwendige gebruik.

Wend aan die aangetaste oppervlak, soos nodig. Masseer sagkens in die vel in, om te verseker dat dit voldoende geabsorbeer word.

Kan daagliks gebruik word, soos nodig.

#### NEWE-EFFEKTE

Kyk **WAARSKUWINGS EN SPESIALE VOORSORGMATREËLS**.

##### Vel- en subkutaneweeffselversteurings:

*Minder dikwels:* Ligte eriteme.

#### BEKENDE SIMPTOME VAN OORDOSERING EN BESONDERHEDE VIR DIE BEHANDELING DAARVAN

Slegs vir uitwendige gebruik aangedui. In die geval van toevallige inname, moet behandeling simptome en ondersteunend wees.

#### IDENTIFIKASIE

Naaswit tot beige room met kenmerkende geur.

#### AANBIEDING

Wit plastiekbuis/potjie verpak in 'n buitenste karton.

Verpakkingsgroottes: 25 g, 50 g, 100 g en 500 g.

#### BEWARINGSINSTRUKSIES

Bêre by of onder 25 °C.

Beskerm teen direkte sonlig.

Hou buisie/potjie dig toe.

#### HOU BUITE BEREIK VAN KINDERS.

#### REGISTRASIENOMMER

Sal deur die SAHPRA toegeken word.

#### NAAM EN BESIGHEIDSADRES VAN DIE HOUER VAN DIE REGISTRASIESERTIFIKAAT

Lamicare SA (Pty) Ltd t/a Lamicare Health

A2, Arden Grove Business Park

Racecourse Road

Milnerton

7441

Tel: 086 100 0400

#### DATUM VAN PUBLIKASIE VAN DIE VOUBILJET

Augustus 2019

## COMPLEMENTARY MEDICINE

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.

SCHEDULING STATUS: **S0**

### PROPRIETARY NAME, STRENGTH AND PHARMACEUTICAL FORM DERMIKELP® ITCH RELIEF CREAM

Please read this leaflet carefully because it contains important information for you:

- Keep this leaflet. You may need to read it again.
- Do not share **DERMIKELP® ITCH RELIEF CREAM** with any other person.
- Ask your pharmacist if you need more information or advice.
- You must see a doctor if your symptoms worsen or do not improve after ten days.

#### 1. WHAT **DERMIKELP® ITCH RELIEF CREAM** CONTAINS

Each gram contains 375 mg of *Ecklonia maxima* (sea kelp) as active substance. The other ingredients are benzyl benzoate, caprylyl glycol, *Cananga odorata* (ylang-ylang) flower oil, cetearyl alcohol, cetearyl glucoside, citric acid, ethylhexylglycerin, gluconolactone, isopropyl myristate, linalool, paraffinum liquidum, PEG-20 stearate, phenoxyethanol, sodium benzoate and water (aqua).

#### 2. WHAT **DERMIKELP® ITCH RELIEF CREAM** IS USED FOR

**DERMIKELP® ITCH RELIEF CREAM** soothes itchy irritated skin and is suitable for the symptoms associated with eczema (dry, inflamed, irritated skin), contact dermatitis (skin rash after touching something), seborrhoic dermatitis (scaling skin rash), minor insect bites and allergic skin reactions caused by soaps, detergents, cosmetics and jewellery.

#### 3. BEFORE YOU USE **DERMIKELP® ITCH RELIEF CREAM**

Do not use **DERMIKELP® ITCH RELIEF CREAM**:

If you are hypersensitive (allergic) to *Ecklonia maxima*, iodine or any of the other ingredients of **DERMIKELP® ITCH RELIEF CREAM** (see **WHAT **DERMIKELP® ITCH RELIEF CREAM** CONTAINS**).

Take special care with **DERMIKELP® ITCH RELIEF CREAM**:

If you have broken skin areas. **DERMIKELP® ITCH RELIEF CREAM** can cause a temporary burning or stinging sensation when you apply it to broken skin.

**Pregnancy and breastfeeding:**

If you are pregnant or breastfeeding, please consult your doctor, pharmacist or healthcare professional before using **DERMIKELP® ITCH RELIEF CREAM**. Safety during pregnancy and breastfeeding has not been established.

**Driving and using machinery:**

No studies have been done to establish the safety of **DERMIKELP® ITCH RELIEF CREAM** during driving a vehicle or operating machinery. Do not drive a vehicle, operate machinery, or do anything else that require your attention until you know how **DERMIKELP® ITCH RELIEF CREAM** affects you.

**Using other medicines with **DERMIKELP® ITCH RELIEF CREAM**:**

Always tell your healthcare professional if you are taking any other medicine (this includes complementary or traditional medicines).

Do not use **DERMIKELP® ITCH RELIEF CREAM** in combination with other topical applications (such as creams or ointments) unless otherwise indicated by your healthcare professional.

#### 4. HOW TO USE **DERMIKELP® ITCH RELIEF CREAM**

For external use only.

Always use **DERMIKELP® ITCH RELIEF CREAM** exactly as instructed. You should check with your doctor or pharmacist if you are unsure.

Apply to the affected area as required. Massage gently into your skin to ensure proper absorption.

**DERMIKELP® ITCH RELIEF CREAM** can be used daily as required.

If you have the impression that the effect of **DERMIKELP® ITCH RELIEF CREAM** is too strong or too weak, talk to your doctor or pharmacist.

**If you use more **DERMIKELP® ITCH RELIEF CREAM** than you should:**

If you or your child accidentally ingested **DERMIKELP® ITCH RELIEF CREAM**, consult your doctor or pharmacist. If neither is available, contact the nearest hospital or poison centre.

Take this leaflet and the rest of the remaining cream with you so the doctor will know what you have taken.

**If you forget to use **DERMIKELP® ITCH RELIEF CREAM**:**

Apply daily as required.

#### 5. POSSIBLE SIDE EFFECTS

**DERMIKELP® ITCH RELIEF CREAM** can have side effects.

**Not all side effects reported for **DERMIKELP® ITCH RELIEF CREAM** are included in this leaflet. Should your general health worsen or if you experience any untoward effects while using **DERMIKELP® ITCH RELIEF CREAM**, please consult your doctor, pharmacist or other healthcare professional for advice.**

If any of the following happens, stop using **DERMIKELP® ITCH RELIEF CREAM** and tell your doctor immediately or go to the casualty department at your nearest hospital:

- Swelling of your hands, feet, ankles, face, mouth or throat, which may cause difficulty in swallowing or breathing.
- Rash or itching.
- Fainting.

These are all very serious side effects. If you have them, you may have had a serious allergic reaction to **DERMIKELP® ITCH RELIEF CREAM**. You may need urgent medical attention or hospitalisation.

Tell your doctor if you notice any of the following:

- Slight redness of your skin.

If you notice any side effects not mentioned in this leaflet, please inform your doctor or pharmacist.

#### 6. STORING AND DISPOSING OF **DERMIKELP® ITCH RELIEF CREAM**

- Store at or below 25 °C.
- Protect from sunlight.
- Keep container tightly closed.
- Do not remove from outer carton until required for use.
- **STORE ALL MEDICINES OUT OF REACH OF CHILDREN.**
- Do not use after the expiry date printed on the label or carton.
- Return all unused medicine to your pharmacist.
- Do not dispose of unused medicine in drains and sewerage systems (e.g. toilets).

#### 7. PRESENTATION OF **DERMIKELP® ITCH RELIEF CREAM**

White, plastic tube/jar packed into an outside carton.  
Pack sizes: 25 g, 50 g, 100 g and 500 g.

#### 8. IDENTIFICATION OF **DERMIKELP® ITCH RELIEF CREAM**

Off-white to beige cream with characteristic odour.

#### 9. REGISTRATION NUMBER

To be allocated by the SAHPRA.

#### 10. NAME AND ADDRESS OF THE REGISTRATION HOLDER

Lamicare SA (Pty) Ltd t/a Lamicare Health  
A2, Arden Grove Business Park  
Racecourse Road  
Milnerton  
7441  
Tel: 086 100 0400

#### 11. DATE OF PUBLICATION

August 2019

## KOMPLEMENTÊRE MEDISYNE

Hierdie ongeregisteerde medisyne is nie deur die SAHPRA vir kwaliteit, veiligheid of beoogde gebruik geëvalueer nie.

SKEDULERINGSTATUS: **S0**

### HANDELSNAAM, STERKTE EN FARMASEUTIESE VORM DERMIKELP® ITCH RELIEF CREAM – JEUKVERLIGTENDE ROOM

Lees asseblief hierdie hele inligtingsblad aandagtig deur, want dit bevat belangrike inligting vir jou:

- Hou hierdie inligtingsblad. Dit mag nodig wees om dit weer te lees.
- Moet nie **DERMIKELP® ITCH RELIEF CREAM** met enige ander persoon deel nie.
- Vra jou apteker indien jy meer inligting of advies nodig het.
- Jy moet 'n dokter gaan sien indien jou simptome vererger of nie verbeter na tien dae nie.

#### 1. **WAT **DERMIKELP® ITCH RELIEF CREAM** BEVAT**

Elke gram bevat 375 mg *Ecklonia maxima* (seevier) as aktiewe bestanddeel. Die ander bestanddele is bensielbensoaat, *Cananga odorata* (ylang-ylang) blomolie, etielheksielgliserien, fenoksiëtanol, glukonolaktone, isopropielmiristaat, kapriëlglükol, linalool, mineraalolie, natriumbensoaat, PEG-20 steeraat, setearielalkohol, setearielglükosied, sitroensuur en water.

#### 2. **WAARVOOR **DERMIKELP® ITCH RELIEF CREAM** GEBRUIK WORD**

**DERMIKELP® ITCH RELIEF CREAM** streel joukende, geïrriteerde vel en dit is geskik vir die simptome geassosieer met ekseem, kontakdermatitis, seborree-dermatitis, minder ernstige insekbyte en allergiese velreaksies veroorsaak deur sepe, skoonmaakmiddels, grimering en juweliersware.

#### 3. **VOORDAT JY **DERMIKELP® ITCH RELIEF CREAM** GEBRUIK**

**Moet nie **DERMIKELP® ITCH RELIEF CREAM** gebruik nie:**

Indien jy hipersensitief (allergies) vir *Ecklonia maxima*, jodium of enige van die ander bestanddele van **DERMIKELP® ITCH RELIEF CREAM** is (kyk **WAT **DERMIKELP® ITCH RELIEF CREAM** BEVAT**).

**Neem spesiale sorg met **DERMIKELP® ITCH RELIEF CREAM**:**

Indien jou vel stukkend is. **DERMIKELP® ITCH RELIEF CREAM** mag 'n brand- of steeksensasie veroorsaak wanneer dit aangewend word op plekke waar die vel stukkend is.

**Swangerskap en borsvoeding:**

Indien jy swanger is of borsvoed, konsulteer asseblief jou dokter, apteker of gesondheidsorgdeskundige voordat jy **DERMIKELP® ITCH RELIEF CREAM** gebruik.

Veiligheid tydens swangerskap en borsvoeding is nie bepaal nie.

**Bestuur en die gebruik van masjinerie:**

Geen studies is uitgevoer om die veiligheid van **DERMIKELP® ITCH RELIEF CREAM** te bepaal terwyl 'n voertuig bestuur of masjinerie hanteer word nie. Moenie 'n voertuig bestuur, masjinerie hanteer of enigiets anders doen wat jou aandag vereis totdat jy weet hoe **DERMIKELP® ITCH RELIEF CREAM** jou beïnvloed nie.

**Die gebruik van ander medisynes saam met **DERMIKELP® ITCH RELIEF CREAM**:**

Sê altyd vir jou gesondheidsorgdeskundige indien jy enige ander medisyne neem (dit sluit komplementêre of tradisionele medisynes in).

Moet nie **DERMIKELP® ITCH RELIEF CREAM** in kombinasie met ander topikale toedienings (soos sjampoe, roeme of salwe) gebruik nie, behalwe indien anders aangedui deur jou gesondheidsorgdeskundige.

#### 4. **HOE OM **DERMIKELP® ITCH RELIEF CREAM** TE GEBRUIK**

Slegs vir uitwendige gebruik.

Gebruik altyd **DERMIKELP® ITCH RELIEF CREAM** presies volgens die aanwysings. Kontroleer met jou dokter of apteker indien jy onseker is.

Wend aan die aangetaste oppervlak, soos nodig. Masseer sagkens in die vel in, om te verseker dat dit voldoende geabsorbeer word.

**DERMIKELP® ITCH RELIEF CREAM** kan daaglik gebruik word, soos nodig.

Indien jy die gevoel kry dat die effek van **DERMIKELP® ITCH RELIEF CREAM** te sterk of te swak is, praat met jou dokter of apteker.

**Indien jy meer **DERMIKELP® ITCH RELIEF CREAM** gebruik as wat jy behoort:**

Indien jy of jou kind per ongeluk **DERMIKELP® ITCH RELIEF CREAM** ingeneem het, raadpleeg jou dokter of apteker. Indien nie een van hulle beskikbaar is nie, kontak die naaste hospitaal of gifsentrum.

Neem hierdie inligtingsblad en die oorblywende room saam met jou sodat die dokter kan weet wat jy geneem het.

**Indien jy vergeet om **DERMIKELP® ITCH RELIEF CREAM** te gebruik:**

Wend daaglik aan, soos nodig.

#### 5. **MOONTLIKE NEWE-EFFEKTE**

**DERMIKELP® ITCH RELIEF CREAM** kan newe-effekte hê.

**Nie alle newe-effekte wat vir **DERMIKELP® ITCH RELIEF CREAM** aangemeld is, word in hierdie inligtingsblad ingesluit nie. Indien jou algemene gesondheid agteruitgaan of indien jy enige ongunstige effekte ervaar terwyl **DERMIKELP® ITCH RELIEF CREAM** gebruik word, konsulteer asseblief jou dokter, apteker of ander gesondheidsorgdeskundige.**

Indien enige van die volgende gebeur, hou op om **DERMIKELP® ITCH RELIEF CREAM** te neem en sê onmiddellik vir jou dokter of gaan na die ongevalle-afdeling by jou naaste hospitaal:

- Swelling van jou hande, voete, enkels, gesig, mond of keel, wat probleme met sluk en asemhaling kan veroorsaak.
- Uitslag of gejeuk.
- Floutes.

Hierdie is alles baie ernstige newe-effekte. Indien jy dit het, mag jy 'n ernstige allergiese reaksie op **DERMIKELP® ITCH RELIEF CREAM** gehad het. Jy mag dringende mediese bystand of hospitalisasie nodig hê.

Sê vir jou dokter indien jy enige van die volgende opmerk:

- Indien jou vel effens rooi word.

Indien jy enige newe-effekte opmerk wat nie in hierdie inligtingsblad genoem word nie, lig asseblief jou dokter of apteker in.

#### 6. **BERGING EN WEGDOENING VAN **DERMIKELP® ITCH RELIEF CREAM****

- Bêre by of onder 25 °C.
- Beskerm teen direkte sonlig.
- Hou buisie/potjie dig toe.
- **BÊRE ALLÊ MEDISYNE BUITE DIE BEREIK VAN KINDERS.**
- Moenie gebruik ná die vervaldatum wat op die etiket of karton voorkom nie.
- Neem alle ongebruikte medisyne terug na jou apteker.
- Moenie ongebruikte medisyne in dreine of rioolsisteme (bv. toilette) weggooi nie.

#### 7. **AANBIEDING VAN **DERMIKELP® ITCH RELIEF CREAM****

Wit plastiekbus/potjie verpak in 'n buitenste karton.  
Verpakkingsgroottes: 25 g, 50 g, 100 g en 500 g.

#### 8. **IDENTIFIKASIE VAN **DERMIKELP® ITCH RELIEF CREAM****

Naaswit tot beige room met 'n kenmerkende geur.

#### 9. **REGISTRASIENOMMER**

Sal deur die SAHPRA toegeken word.

#### 10. **NAAM EN ADRES VAN DIE REGISTRASIEHOUER**

Lamicare SA (Pty) Ltd t/a Lamicare Health  
A2, Arden Grove Business Park  
Racecourse Road  
Milnerton  
7441  
Tel: 086 100 0400

#### 11. **DATUM VAN PUBLIKASIE**

Augustus 2019

DKCRTU-PI/PIL-ZA20

Pro-Print



**PRO-PRINT (PTY) LTD**  
THE PROFESSIONALS IN PRINT

**REPRO**

**Date:** 29th September 2020  
**Operator:** Mariette de Bruyn  
**Customer:** Lamicare SA (Pty) Ltd.  
**Product Name:** Dermikelp Itch Relief Cream Leaflet  
**Product Code:** DKCRTU-PI/PIL-ZA20  
**Dimensions:** 210 x 290 mm  
**Fold Size:** 210 x 37 mm  
**Font Size:** 6 point Helvetica  
**Colours: (1)** Black  
--  
**Barcode:** --  
**Pharmacode:** (Ref. 11) 011  
**Stock:** 50 gsm  
**Proof Status:** 4th (Fourth)  
**Proof read by:**

Reset:  Alterations:  Disk/Possie:   
No alterations – proceed as soon as possible   
Note alterations – Further proof is required

**PLEASE CHECK CAREFULLY.**

Although we endeavour to proof accurately, we cannot accept responsibility for errors once proofs are signed and accepted by our clients.

Signature:.....Date:.....

PROOF NOT READ – NO COPY SUPPLIED